

**Norberg~IES**

[www.powerfuse.com](http://www.powerfuse.com)

147 S. 122<sup>nd</sup> East Ave., Tulsa, OK 74128 ph:918.438.0744 fax:918.438.0746

SHEET 28

**KLH CONVERSION KIT**

Allows GE 9F60KLH125, 150, 175 Fuse Supports Accept 3" Diameter Fuses

**KIT INCLUDES:**

Silver plated copper terminal pads with spring reinforced fuse clips. This set-up mounts directly to the GE standoff insulators on fuse support model 9F61AFG501. After the change-out, this fuse support will accept any manufacturers 15" clip center size DD fuse.

**STEPS:**

Disengage any power to the switchgear. Remove leads and GE live parts from the fuse support. Directly substitute the Norberg~IES Terminal Pad/Fuse Clip assembly in the same holes. There is no need to move the location of the stand-off insulators. Install GE copper pad on the upper terminal pad. Reconnect leads and insert new fuse in the spring clips.

This is a one time change-out. Future changes will require only the fuse itself.

**ADVANTAGES:**

This change-out allows the customer to update to a current 3 inch diameter fuse setup which is readily available. By making this change the customer is no longer limited to only three fuse sizes (125,150, & 175 amps). The range of available fuses increases from a low of 10 amps up to 250 amps @ 15KV.

***Norberg~IES***


[www.powerfuse.com](http://www.powerfuse.com)

147 S. 122<sup>nd</sup> East Ave., Tulsa, OK 74128 ph:918.438.0744 fax:918.438.0746

SHEET 28

**KLH CONVERSION KIT**

Allows GE 9F60KLH125, 150, 175 Fuse Supports Accept 3" Diameter Fuses



Material: 3" X 1/4" Cu Bus/Round Edge-Silver Plated.

PART NUMBER:  
3X675TERMINALPAD

***Norberg~IES***


[www.powerfuse.com](http://www.powerfuse.com)

147 S. 122<sup>nd</sup> East Ave., Tulsa, OK 74128 ph:918.438.0744 fax:918.438.0746

SHEET 28

**KLH CONVERSION KIT**

Allows GE 9F60KLH125, 150, 175 Fuse Supports Accept 3" Diameter Fuses



Material: 3" X 1/4" Cu Bus/Round Edge-Silver Plated.

PART NUMBER:  
KLHTERMINALPAD